BIAS NORMAL EQ120µs NOISE REDUCTION ON OFF WARRANTY: This product will be replaced if defective in manufacture. There is no warranty, express or implied, including but not limited to, merchantability or fitness for use or purpose sold. Manufacturer and seller shall have no liability for direct and/or consequential damage resulting from use or inability to use the product. The foregoing may only be modified by written agreement by EMI BRIGADIERS. E.M.I. BRIGADIERS, P.O. BOX 11254, JOHANNESBURG 2000. EMI INTERVIEW at eLushini C. Hamilton, Daminiz SIDE SIDE MBOFU DLAMINI (LIDUHO MALINI GILIMBA NHLEKO II LISOSA speaker MASHETE DLAMINI " MALINDANE" INDVUNA LUCAS SIMELANE (LIDE Masosa

HIGH OUTPUT LOW NOISE



15







HIGH PRECISION CASSETTE MECHANISM WITH HEAD CLEANER LEADER



BOAROTS DNA DNIJDNAH NO SHIT

- Before use always spool cassette through in fast forward mode for even tape tension and alignment to the running characteristics of your machine
- Always keep your cassettes dust free, when not in use keep your cassette in its projective pox Avoid hapoding of tape, with fingers
- biolective box Avoid handling of tape with fingers. Bi Keep recorder head clearn by regular use of EMI casastie tape head clearner at Avoid registring to excerning to excerning the of table and strong and avoid the of table and an avoid table and attorn and avoid the of table and a strong table and attorn and avoid table and attorn attor
- 4 Avoid exposure of casseftes to excessive heat, direct sunight and strong magnetic fields.
- 5. To keep valuable recordings remove erasure tabs on back edge of casselle



A2760 - Swaziland Oral History Project

PUBLISHER:

Collection held at the Historical Papers Research Archive, University of the Witwatersrand, Johannesburg, South Africa

LEGAL NOTICE:

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.