DATE TIME	SOURCE MONO STEREO
BIAS NORMAL EQ120µs	NOISE REDUCTION ON OFF
WARRANTY: This product will be replaced if defective in manufacture. There is no warranty, express or implied, including but not limited to, merchantability or fitness for use or purpose sold. Manufacturer and seller shall have no liability for direct and/or consequential damage resulting from use or inability to use the product. The foregoing may only be modified by written agreement by EMI BRIGADIERS. E.M.I. BRIGADIERS, P.O. BOX 11254, JOHANNESBURG 2000.	
2. Hamilton. GD	
SIDE	SIDE



HIGH OUTPUT LOW NOISE

EMI

437eo

31.37.31

5P

SPECIAL PERFORMANCE

90

HIGH PRECISION CASSETTE MECHANISM WITH HEAD CLEANER LEADER

SP

EMI



EMI

TIPS ON HANDLING AND STORAGE

- Before use always spool cassette through in fast forward mode for even tape tension and alignment to the running characteristics of your machine.
- Always keep your cassettes dust free, when not in use keep your cassette in its protective box. Avoid handling of tape with fingers.
- Keep recorder head clean by regular use of EMI cassette tape head cleaner.
 Avoid exposure of cassettes to excessive heat, direct sunlight and strong mannetic fields.
- To keep valuable recordings remove erasure tabs on back edge of cassette.

A2760 - Swaziland Oral History Project

PUBLISHER:

Collection held at the Historical Papers Research Archive, University of the Witwatersrand, Johannesburg, South Africa

LEGAL NOTICE:

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.