



BASF

LH-EI

60

C. Hamilton interview: Nhleko
History; 21/3/86 Lubulini area.

120 90 60 LH-EI BASF

IEC I

Position:

STEREO NOISE RED:

BIAS ER 15*
Fe 120µ

Fe (Normal)

60 90 120

1 INFORMANTS:

TIME/
COUNTER

2

TIME/
COUNTER

1. Mzikayise Johane Nhleko
2. Mgede Moses Nhleko
3. Paul borane, Nhleko
4. Emelyn Nhleko

Others Present were:

1. Aaron Nhleko
2. Jabulane Louis Nhleko
3. Thandekile Nhleko.
4. Mpanyana Matsenjwa



BASF

LH-EI



BASF 60.90.120. LH-EI



BASF LH-EI 60.90.120.

Made in France

- Für kräftigen Klang auf allen Geräten.
- For powerful sound on all recorders.
- Pour un son puissant sur tous les appareils.



Position:

Fe (Normal)

*RS = charakteristische relative Empfindlichkeit (dB)
 *RS = characteristic Relative Sensitivity (dB)
 *RS = caractéristique Relative à la Sensibilité (dB)

C 60 / C 90 *RS: ±0 C 120 *RS: -0.5

STEREO NOISE RED :

1	TIME/ COUNTER	2	TIME/ COUNTER
09-09 '18			
0960			

A2760 - Swaziland Oral History Project

PUBLISHER:

Collection held at the Historical Papers Research Archive, University of the Witwatersrand, Johannesburg, South Africa

LEGAL NOTICE:

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.