



BASF

LH-EI



Mabane (Luhelising)

BASF
 LH-EI
 60
 90
 120

IEC I

Position:

STEREO

NOISE RED:

BAS EI BS*
Fe 120µ

Fe (Normal)

60 90 120

1

TIME/
COUNTER

2

TIME/
COUNTER



BASF

LH-EI



BASF 60.90.120. LH-EI



BASF LH-EI 60.90.120.

Made in France

- Für kräftigen Klang auf allen Geräten.
- For powerful sound on all recorders.
- Pour un son puissant sur tous les appareils.



Position:

Fe (Normal)

- *RS = charakteristische relative Empfindlichkeit (dB)
- *RS = characteristic Relative Sensitivity (dB)
- *RS = caractéristique Relative à la Sensibilité (dB)

C 60 / C 90 *RS: ±0 · C 120 *RS: -0,5

STEREO NOISE RED :

1	TIME/ COUNTER	2	TIME/ COUNTER
84.6.07			
A2760			

A2760 - Swaziland Oral History Project

PUBLISHER:

Collection held at the Historical Papers Research Archive, University of the Witwatersrand, Johannesburg, South Africa

LEGAL NOTICE:

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.